Google

Scholar BETA

Web   Images   Video   News   Maps   more »

[   ] Search

Scholar Results 1 - 97 of about 98 citing **Vogt: Multiple object identification with passive RFID tags**. (0.11 seconds)

An enhanced dynamic framed slotted ALOHA algorithm for RFID tag identification

SR Lee, SD Joo, CW Lee - Mobile and Ubiquitous Systems: Networking and Services, 2005 ..., 2005 - ieeexplore.ieee.org
Page 1. An Enhanced Dynamic Framed Slotted ALOHA Algorithm for RFID Tag Identification
∗ Su-Ryun Lee Ajou University Department of Electrical and Computer Engineering
Suwon, Korea srlee@ajou.ac.kr Sung-Don Joo LG Electronics Network Lab. ...
Cited by 59 - Related articles - Web Search - All 3 versions

Taxonomy and survey of RFID anti-collision protocols - ▶ auc.dk [PDF]

DH Shih, PL Sun, DC Yen, SM Huang - Computer communications, 2006 - Elsevier
Due to the limitless possibilities and low cost, Radio Frequency Identification
(RFID) systems are used in a variety of applications to uniquely identify
physical objects. The operation of RFID systems often involves a situation ...
Cited by 32 - Related articles - Web Search - All 4 versions

Collaborative sensing in a retail store using synchronous distributed jam signalling - ▶ teco.edu [PDF]

A Krohn, T Zimmer, M Beigl, C Decker - 3rd International Conference on Pervasive Computing, 2005 - Springer
Abstract. The retail store environment is a challenging application area for
Pervasive Computing technologies. It has demanding base conditions due to the
number and complexity of the interdependent processes in- volved. We ...
Cited by 16 - Related articles - Web Search - All 11 versions

Improvement to the anticollision protocol specification for 900MHz class 0 radio frequency ... - ▶ buffalo.edu [PDF]

M Narjundaiah, V Chaudhary - Advanced Information Networking and Applications, 2005. AINA ..., 2005 - ieeexplore.ieee.org
This paper proposes a modification to the existing anticollision protocol put
forth in version 1.0 Protocol Specification for 900MHz Class 0 RFID Tag. The
version 1.0 specification uses a binary tree approach to singulate one RF ...
Cited by 13 - Related articles - Web Search - All 7 versions

Anti-collision performance of Gen2 air protocol in random error communication link - ▶ autoidlab.jp [PDF]

Y Kawakita, J Mitsugi - Applications and the Internet Workshops, 2006. SAINT ..., 2006 - ieeexplore.ieee.org
When a multitude of RFID tags are in the interro- gating field, an
anti-collision technology must be used. In literatures, the reading performance
was mainly in- vestigated on the error-free communication links be- tween ...
Cited by 13 - Related articles - Web Search - All 7 versions

[PDF] ▶ A hybrid randomized protocol for RFID tag identification

A Micic, A Nayak, D Simplot-Ryl, I Stojmenovic - IEEE International Workshop on Next Generation Wireless ..., 2005 - site.uottawa.ca
RFID is a technology for tracking objects that is expected to be widely adopted
in very near future. A reader device sends probes to a set of RFID tags, which
then respond to the request. A tag is recognized only when it is the only ...
Cited by 12 - Related articles - View as HTML - Web Search

ASAP: a MAC protocol for dense and time-constrained RFID systems - ▶ hindawi.com [PDF]

G Khandelwal, K Lee, A Yener, S Serbetli - EURASIP Journal on Wireless Communications and Networking, 2007 - hindawi.com
Hindawi Publishing Corporation EURASIP Journal on Wireless Communications and
Networking Volume 2007, Article ID 18730, 13 pages doi:10.1155/2007/18730 ...
ASAP: A MAC Protocol for Dense and Time-Constrained
Cited by 11 - Related articles - View as HTML - Web Search - All 7 versions

[PDF] ▶ An Efficient Stochastic Anti-collision Algorithm using Bit-Slot Mechanism
CS Kim, KL Park, HC Kim, SD Kim - Proc. of Int. Conf. on Parallel and Distributed Processing ..., 2004 - 68.153.197.235
Page 1. An Efficient Stochastic Anti-collision Algorithm using Bit-Slot Mechanism
Chang-Soon Kim*, Kyung-Lang Park*, Hie-Cheol Kim †, and Shin-Dug Kim* *Dept.
of Computer Science, Yonsei University, Seoul, Korea † Dept. ...
Cited by 13 - Related articles - View as HTML - Web Search

Einführung in die RFID-Technologie - ▶ ethz.ch [PDF]
M Lampe, C Flörkemeier, S Haller - Das Internet der Dinge--Ubiquitous Computing und RFID in der ..., 2005 - Springer
Kurzfassung. Die öffentliche Thematisierung der RFID-Technik und die Stan-
dardisierungsbemühungen des Auto-ID Centers haben dazu geführt, dass den
Potenzialen der Technologie zur Verbesserung betriebswirtschaftlicher ...
Cited by 18 - Related articles - Web Search - All 5 versions

An Improved ALOHA Algorithm for RFID Tag Identification
X Huang - Lecture Notes in Computer Science, 2006 - Springer
Abstract. One of problems that we faced for Radio frequency identification
(RFID) systems is that the collision between tags which lowers the efficiency of
the RFID systems. One of the popular anti-collision algorithms is ALOHA- ...
Cited by 8 - Related articles - Web Search - BL Direct

Improved anti-collision scheme for high speed identification in RFID system
TW Hwang, BG Lee, YS Kim, DY Suh, JS Kim - Proc of the 1st International Conference on Innovative ..., 2007 - doi.ieeecomputersociety.org
Tag identification time is handled as an important factor because the
performance of RFID system is decided by this factor dominantly. To improve this
ability, many anti-collision algorithms have been applied on RFID system. ...
Cited by 6 - Related articles - Web Search - All 4 versions

Id-binary tree stack anticollision algorithm for rfid
B Feng, JT Li, JB Guo, ZH Ding - 11th IEEE Symposium on Computers and Communications, 2006. ..., 2006 - ieeexplore.ieee.org
This paper presents an efficient anticollision algorithm for the RFID tags
communication conflict. The novelty of our algorithm is that we map a set of n
tags into a corresponding ID- binary tree, and see the process of collision ...
Cited by 4 - Related articles - Web Search - All 2 versions

[PDF] ▶ Efficient collision-resilient RFID tag identification using balanced incomplete block design code
JM Seol, SW Kim - Proceedings of the Sixth IEEE International Conference on ..., 2006 - sfcc.re.kr
RFID (radio frequency identification) is a RF based identification system, where
RF reader reads (and writes) data from each entity (RF tag). Upon request from
reader, tags in reader's accessible RF range will respond, and if the ...
Cited by 4 - Related articles - View as HTML - Web Search - All 7 versions

[CITATION] ID-binary tree stack anticollision algorithm for RFID
F Bo, L Jin-Tao, G Jun-Bo, D Zhen-Hua - The 11th IEEE Symposium on Computers and Communications (ISCC .. , 2006
Cited by 4 - Related articles - Web Search

Reliability techniques for rfid-based object tracking applications - ▶ rice.edu [PDF]

A Rahmati, L Zhong, M Hiltunen, R Jana - Dependable Systems and Networks. 2007. DSN'07. 37th Annual ..., 2007 - ieeexplore.ieee.org
Radio Frequency Identification (RFID) technology has the potential to
dramatically improve numerous industrial practices. However, it still faces many
challenges, including security and reliability, which may limit its use in ...
Cited by 4 - Related articles - Web Search - All 5 versions

Hybrid Tag Anti-collision Algorithms in RFID Systems
JD Shin, SS Yeo, TH Kim, SK Kim - Lecture Notes in Computer Science, 2007 - Springer
Abstract. RFID, Radio Frequency Identification, technology is a contactless
automatic identification technology about which a lot of re- searches and
developments are recently progressing. For this RFID tech- nology to be ...
Cited by 3 - Related articles - Web Search - BL Direct - All 2 versions

[PDF] ▶ Improving rfid system to read tags efficiently
A Sahoo, S Iyer, N Bhandari - it.iitb.ac.in
Page 1. Improving RFID System to Read Tags Efficiently Technical Report by A.
Sahoo, S. Iyer and N. Bhandari Kanwal Rekhi School of Information Technology Indian
Institute of Technology Bombay June, 2006 Page 2. Abstract ...
Cited by 3 - Related articles - View as HTML - Web Search - All 2 versions

Q+-Algorithm: An enhanced rfid tag collision arbitration algorithm
D Lee, K Kim, W Lee - Ubiquitous Intelligence and Computing: 4th International ..., 2007 - books.google.com
Q+-Algorithm: An Enhanced RFID Tag Collision Arbitration Algorithm* Donghwan
Lee, Kyungkyu Kim, and Wonjun Lee** Division of Computer and Communication
Engineering Korea University, Seoul, Republic of Korea wleeSKorea. ac. kr ...
Cited by 3 - Related articles - Web Search - BL Direct - All 2 versions

基于时隙的RFID防碰撞算法分析
刘佳，张有光 - 电子技术应用, 2007 - cqvip.com
Communication and Network 基于时隙的RFID防碰撞算法分析刘佳，
张有光(北京航空航天大学电子信息工程学院，北京100083) 摘要：
介绍了几种常见的基于时隙的防碰撞算法：帧时隙ALOHA ...
Cited by 4 - Related articles - Web Search - All 2 versions

Adaptive Binary Splitting for a RFID Tag Collision Arbitration Via Multi-agent Systems
X Huang, D Tran - LECTURE NOTES IN COMPUTER SCIENCE, 2007 - Springer
Abstract. Radio Frequency Identification (RFID) has recently received much
attention from various parties involved in supply chain management. In the RFID
system, a reader recognizes tags through communications over a shared ...
Cited by 2 - Related articles - Web Search - BL Direct

A novel anti-collision algorithm with optimal frame size for RFID system
I Joe, J Lee - Software Engineering Research, Management & Applications, ..., 2007 - ieeexplore.ieee.org
In this paper, we propose a novel anti-collision algorithm for Generation 2 RFID
system to estimate the number of tags and to use the optimal frame size.
Depending on the number of tags, there exists the optimal frame size in the ...
Cited by 2 - Related articles - Web Search - All 3 versions

A Novel Passive Tag with Asymmetric Wireless Link for RFID and WSN Applications
M Baghaei-Nejad, Z Zou, H Tenhunen, LR Zheng - IEEE International Symposium on Circuits and Systems, 2007. ..., 2007 - ieeexplore.ieee.org
Abstract –In this paper, we present a radio-powered module with asymmetric
wireless link utilizing ultra wideband radio system for RFID and wireless sensor
applications. Our contribution includes using two different standards in ...
Cited by 2 - Related articles - Web Search - All 2 versions

[PDF] ► An Efficient Scheme for Multiple Access in a RFID System

WT Chen, GH Lin - Proc. ICWN 2006 - ww1.ucmss.com

Abstract - In this paper, we present an anti-collision scheme in a RFID system.
The scheme is based on dynamic framed ALOHA protocol developed for radio
networks. In our scheme, we propose a method to estimate the number of tags ...

Cited by 2 - Related articles - View as HTML - Web Search - All 3 versions

Aloha-based anti-collision algorithms used in RFID system - ► 59.77.17.121 [PDF]

L Liu, S Lai - Wireless Communications, Networking and Mobile Computing, ..., 2006 - ieeexplore.ieee.org

Abstract—Collision is a familiar problem and one of the largest disadvantages
in RFID system. There are always two methods to deal with the collision
problems. One is the deterministic collision resolution and the other is ...

Cited by 3 - Related articles - Web Search - All 2 versions

RFID系统中反碰撞处理的排队建模与分析

余润仙，高爱乃，丁永生 - 计算机仿真, 2005 - cqvip.com

首页; 期刊导航; 知识社区; 学术机构; 专题导读; 充值中心; 论文翻译. 登录
注册 帮助. 维普资讯 中文期刊·专业文章. 维普专业检索Google学术. 电子电信 ...

Cited by 3 - Related articles - Web Search

[PDF] ► A Spatially Aware RFID-Enhanced Wireless Sensor Network

DK Klair, KW Chin, R Raad, D Lowe - IEEE PerCom: Google PhD Forum - uow.edu.au

I. INTRODUCTION In recent years, radio frequency identification (RFID) has
gained enormous publicity, especially after both Wal-Mart and the Department of
Defense mandated their respective suppliers use RFID tags in an effort to ...

Cited by 1 - Related articles - View as HTML - Web Search - All 2 versions

Analysis of energy consumption for multiple object identification system with active RFID tags

X Su, Y Xiao - Wireless Communications and Mobile Computing, 2008 - ieeexplore.ieee.org

Abstract— Radio frequency identification (RFID) systems are very effective for
identifying objects. In multiple object identifica- tion systems with active
tags, the tags are designed for extremely low-cost large-scale applications ...

Cited by 1 - Related articles - Web Search - All 4 versions

RFID Keeper: An RFID Data Access Control Mechanism

Z Zhou, D Huang - IEEE Global Telecommunications Conference, 2007. GLOBECOM'07, 2007 - ieeexplore.ieee.org

Abstract Access control for RFID tags is challenging due to the limited
computational and energy capability of RFID tags. To solve this problem, we
propose RFID Keeper - an RFID data access control mechanism based on RFID ...

Cited by 1 - Related articles - Web Search

Performance modeling and design of backscatter RFID systems: A statistical approach

JM Govardhan - 2006 - gradworks.umi.com

Abstract: This thesis provides a statistical framework for performance modeling
and design of backscatter Radio Frequency Identification (RFID) systems. The
thesis also explores the uncertainties associated with certain parameters ...

Cited by 1 - Related articles - Cached - Web Search - Library Search - All 3 versions

改进ALOHA算法在RFID多目标识别中的应用

陆瑞，王刚，闫述 - 微计算机信息, 2006 - cqvip.com

首页; 期刊导航; 知识社区; 学术机构; 专题导读; 充值中心; 论文翻译. 登录
注册 帮助. 维普资讯 中文期刊·专业文章. 维普专业检索Google学术. 电子电信 ...

Cited by 1 - Related articles - Web Search - All 2 versions

基于Aloha算法的帧长及分组数改进研究

徐園園, 竇篬芳, 刘萬 - 计算机应用, 2008 - cqvip.com
首页; 期刊导航; 知识社区; 学者空间; 学术机构; 专题导读; 充值中心; 论文翻译. 登录
注册 帮助. 维普资讯 中文期刊 专业文章. 维普快速检索. 自动化计算机 ...
Cited by 1 - Related articles - Web Search - All 3 versions

散列树形搜索反碰撞算法的研究

韩磊, 张虹, 马海波 - 计算机应用, 2006 - cqvip.com
第26卷第12期2006年12月计算机应用Computer Applications Vol_26 No . 12 Dec . 2006
文章编号: IOO1—9081(2006)12—3019—04 散列树形搜索反碰撞算法的研究韩磊, 张虹, 马海波 ...
Cited by 1 - Related articles - Web Search - All 4 versions

A Simulation Study Comparing the Performance of Two RFID Protocols - ▶buffalo.edu [PDF]

M Narijundarah, V Chaudhary - Lecture Notes in Computer Science, 2006 - Springer
Abstract. This paper presents a comparison of version 1.0 Protocol Specification
for 900MHz Class 0 RFID Tag with that of Class-1 Generation 2 UHF RFID Protocol
for Communications at 860 MHz – 960 MHz for large number of tags. ...
Related articles - Web Search - BL Direct - All 3 versions

Problem of dynamic change of tags location in anticollision RFID systems

P Jankowski-Mihulowicz, W Kalita, B Pawlowicz - Microelectronics Reliability, 2008 - Elsevier
Presently the necessity of building anticollision RFID systems with dynamic
location change of tags appear more often. Such solutions are used in
identification of moving cars, trains (automatic identification of vehicles ...
Related articles - Web Search - All 2 versions

[CITATION] SENSOR (RFID) NETWORKS AND COMPLEX MANUFACTURING SYSTEMS MONITORING (COMMSENS): LABORATORY FOR RFID ...

S Bukkapatnam, OK Stillwater, JM Govardhan, S ...
Related articles - Web Search

URN etd-0627108-204818 Statistics This thesis had been viewed 126 times. Download 50 times. Author ... - ▶ttu.edu.tw [PDF]

R Collision, ET Collision, ET Identification, AC ... - ethesys.library.ttu.edu.tw
Page 1. 設計快速辨識已知標籤集之無線射頻辨識系統 Designing Fast
Identification Algorithm in the RFID System for Known Tag Sets
研究生: 王昱晟 (Yu-Cheng Wang) 指導教授: 嚴威 (Prof. Wei Yen) 大同大學 ...
Related articles - View as HTML - Web Search

Statistical analysis and design of RFID systems for monitoring vehicle ingress/egress in warehouse ...

JM Govardhan, STS Bukkapatnam, Y Bhamare, PK Rao - International Journal of Radio Frequency Identification ..., 2007 - Inderscience
Int. J. Radio Frequency Identification Technology and Applications, Vol. 1, No.
2, 2007 ... Statistical analysis and design of RFID systems for monitoring
vehicle ingress/egress in warehouse environments
Related articles - Web Search - BL Direct - All 4 versions

Reliability improvement for an RFID-based psychiatric patient localization system - ▶ncku.edu.tw [PDF]

CL Huang, PC Chung, MH Tsai, YK Yang, YC Hsu - Computer Communications, 2008 - Elsevier
Collaboration between Field Generators, Readers and Tags generates the required
functions in using radio frequency identification (RFID) for psychiatric patient
localization. The Field Generator continually transmits trigger signals ...
Related articles - Web Search - All 5 versions

Design of Hash-tree Anti-collision Algorithm

C Xuzhou, C Nanjing, C Changzhou - ieeexplore.ieee.org
Page 1. Design of Hash-tree Anti-collision Algorithm Hong Zhang Lei Han Yu-Lu Li Dept.
of Computer Science Dept. of Computer Engineering, Jiangsu Changzhou & Technology,
CUMT, Nanjing Institute of Technology, Power Supply Company, ...
Related articles - Web Search - All 3 versions

[PDF] ▷ Electronic Documentation Form

A Rahman, BHW Hadikusumo, SO Ogunlana, C ... - Management - library.ait.ac.th
A general mistrust within the contactor and subcontractor companies has
identified one of the significant barriers to derive benefits from true
downstream supply chain integration, can further lead to the development of ...
Related articles - View as HTML - Web Search - All 4 versions

RFID-based user profiling of fashion preferences: blueprint for a smart wardrobe - ▷ latrobe.edu.au

[PDF]
S Ling, M Indrawan, SW Loke - International Journal of Internet Protocol Technology, 2007 - Inderscience
Faculty of Information Technology, Monash University, Caulfield East 3145,
Melbourne, Australia E-mail: chris.ling@infotech.monash.edu.au E-mail:
maria.indrawan@infotech.monash.edu.au *Corresponding author
Related articles - Web Search - All 6 versions

Reliable and Fast Estimation for Wireless Media RFID Systems

X Huang, D Sharma - 2007 IEEE International Conference on Automation and ..., 2007 - ieeexplore.ieee.org
Abstract - Radio Frequency Identification (RFID) has recently received much
attention from various parties involved in supply chain management. It is
believed that RFID can bring revolutionary change to supply chain, ...
Related articles - Web Search

[PDF] ▷ Efficient Dynamic Framed Slotted Anti-Collision Algorithm for RFID Systems

X Huang - naun org
Abstract— Radio frequency identification (RFID) systems with passive tags
dramatically increase the ability of an organization to acquire a vast array of
data about the location and properties of any entity that can be physically ...
Related articles - View as HTML - Web Search

An Enhanced Dynamic Framed Slotted ALOHA Anti-collision Algorithm

S Lee, C Lee - LECTURE NOTES IN COMPUTER SCIENCE, 2006 - Springer
Abstract. In RFID system, one of the problems that we must solve is the
collision between tags that may occur when a reader attempts to read a number of
tags simultaneously. Most of the popular anti-collision algorithms are ...
Cited by 1 - Related articles - Web Search - BL Direct

Password Streaming for RFID Privacy

VK Wu, RH Campbell - Proceedings of the OTM Confederated International Workshops ..., 2008 - Springer
Abstract. We propose a novel privacy-protecting RFID system using password
streaming. Our scheme assumes a centralized back-end system containing a
database of tag passwords. A reader uses this database to broadcast ...
Related articles - Web Search - All 2 versions

[CITATION] Multi-branch query tree protocol for solving RFID tag collision problem

JC hai WANG Ke-ren - 中国邮电高校学报:英文版, 2008
Web Search

A Secure RFID Access Control Mechanism

D Huang, Z Zhou - Security in RFID and Sensor Networks, 2009 - books.google.com
11 A Secure RFID Access Control Mechanism Dijiang Huang and Zhibin Zhou CONTENTS
11.1 Introduction 237 11.2 Related Works 238 11.3 System Models 239 11.3. 1
Network Model 239 11.3. 2 Attack Model 240 11.4 User Identity ...
Related articles - Web Search

[PDF] ▶ On the Accuracy of RFID Tag Estimation Functions
DK Klair, KW Chin, R Raad - Communications and Information Technologies, 2007. ISCIT'07. ..., 2007 -
citeseerx.ist.psu.edu
Abstract— Dynamic Framed Slotted Aloha (DFSA) based tag reading protocols rely
on a tag estimation function to calculate the best frame size to use for a given
tag set. An inaccurate estimate results in high identification delays and ...
Related articles - View as HTML - Web Search - All 8 versions

Efficient Dynamic Framed Slotted ALOHA for RFID Passive Tags
XL HuanRgcanbrraCeduAuL - ieeexplore.ieee.org
Page 1. Efficient Dynamic Framed Slotted ALOHA for RFID Passive Tags Xu
Huang School ofInformation Sciences and Engineering, University ofCanberra
Canberra, ACT, 2617, Australia XuL HuanRgcanbrraCeduAuL ...
Web Search

Research of Multi-access and Anti-collision Protocols in RFID Systems
Z Tang, Y He - 2007 IEEE International Workshop on Anti-counterfeiting, ..., 2007 - ieeexplore.ieee.org
Abstract: Due to the limitless possibilities and low cost, Radio Frequency
Identification (RFID) systems have emerged as an affordable solution for object
identification. They are a cheap and error proof alternative to traditional ...
Related articles - Web Search

Collision-Resilient Multi-state Query Tree Protocol for Fast RFID Tag Identification
J Seol, S Kim - Lecture Notes in Computer Science, 2007 - Springer
Y. Wang, Y. Cheung, and H. Liu (Eds.): CIS 2006, LNAI 4456, pp. 733–742, 2007.
© Springer-Verlag Berlin Heidelberg 2007 ... Collision-Resilient Multi-state
Query Tree Protocol for ... Jae-Min Seol and Seong-Whan Kim
Related articles - Web Search - BL Direct - All 4 versions

Robust and Dynamic Bin Slotted Anti-Collision Algorithms in RFID System
JS Choi, H Lee, DW Engels, R Elmasri - 2008 IEEE International Conference on RFID, 2008 - ieeexplore.ieee.org
Abstract—In this paper, we present the Dynamic Bin Slotted memoryless
anti-collision algorithm (DBS) and the Robust Dynamic Bin Slotted memoryless
anti-collision algorithm (RDBS) (which is a countermeasure to the strong ...
Related articles - Web Search

Study for Anti-collision of Radio Frequency Identification System - ▶ ncku.edu.tw [PDF]
GH Lin - 2006 - ethesys.lib.ncku.edu.tw
Page 1. 國立成功大學 電信管理研究所 碩士論文 射頻辨識系統碰撞避
免之研究 Study for Anti-collision of Radio Frequency Identification
System 研 究 生：林冠宏 指導教授：陳文子 博士 ...
Related articles - Web Search - All 2 versions

A methodology for the energy efficiency performance evaluation of tree-search contention resolution
...
C Bisdikian. IBMTJWR Center, NY Hawthorne - 2005 IEEE Wireless Communications and Networking Conference, 2005 -
ieeexplore.ieee.org
A methodology for the energy efficiency perform- ... Chatschik Bisdikian IBM
Corp. TJ Watson Research Center Hawthorne, NY 10532, USA bisdik@us.ibm.com ...
Abstract—This paper introduces a methodology for the analysis of energy ...

Related articles - Web Search

An Anti-collision Method for Fast Recognition of Multiple RFID Tags

TW Hwang, BG Lee, YS Kim, H Yang, JG Yook - Optical Internet and Next Generation Network, 2006. COIN- ..., 2006 - ieeexplore.ieee.org

Abstract ALOHA based anti-collision algorithms are simple and they have superior anti-collision performance. But, it has disadvantage that the identification performance grows worse. The proposed method is the effective tag ...
Related articles - Web Search

Data Integrity in RFID Systems

W Su, N Alchazidis, TT Ha - IEEE Military Communications Conference, 2007. MILCOM 2007, 2007 - ieeexplore.ieee.org

Abstract One of the main problems that affect the data integrity of passive RFID systems is the collision between the tags. A popular anticollision algorithm which dominates the standards in HF and UHF passive RFID systems is Framed ...
Related articles - Web Search

Permissible Link Quality for RFID Anti-Collision in a Practical Environment

Y Kawakita, O Nakamura, J Murai - IEICE TRANSACTION COMMUNICATIONS E SERIES B, 2008 - IEICE

SUMMARY UHF radio frequency identification (RFID) has gathered significant interest in the field of long-distance automatic identification ap- plications. Since UHF RFID shares the frequency band with other RFID and/or other ...
Related articles - Web Search - BL Direct - All 4 versions

Intelligent Query Tree (IQT) Protocol to Improve RFID Tag Read Efficiency - ▶ iitb.ac.in [PDF]

N Bhandari, A Sahoo, S Iyer - Information Technology, 2006. ICIT'06. 9th International ..., 2006 - ieeexplore.ieee.org

Abstract Radio Frequency Identification (RFID) is slated to be- come a standard for tagging various products. As more and more products become RFID enabled, fast tag identification mechanisms will become important. Various tag ...
Related articles - Web Search - All 5 versions

Q-Algorithm: An Enhanced RFID Tag Collision Arbitration Algorithm＊ - ▶ korea.ac.kr [PDF]

D Lee, K Kim, W Lee - Springer

Abstract. Emerging applications of RFID require high efficiency of tag identification. Since passive tags have dumb functionality, the ef- ficiency of tag identification in RFID system relies on the performance of the ...
Related articles - Web Search - All 2 versions

[PDF] ▶ Improving RFID System To Read Tags Efficiently

N Bhandari - 2006 - cse.iitb.ac.in

Page 1. Improving RFID System To Read Tags Efficiently Dissertation submitted in partial fulfillment of the requirements for the degree of Master of Technology by Naval Bhandari (Roll Number 04329023) under the guidance of Prof. ...
Related articles - View as HTML - Web Search

Design of Hash-Tree Anti-collision Algorithm

H Zhang, L Han, L Yu-Lu, X CUMT - Natural Computation, 2007. ICNC 2007. Third International ..., 2007 - ieeexplore.ieee.org

Page 1. Design of Hash-tree Anti-collision Algorithm Hong Zhang Lei Han Yu-Lu Li Dept. of Computer Science Dept. of Computer Engineering, Jiangsu University & Technology, CUMT, Nanjing Institute of Technology, Power Supply Company, ...
Related articles - Web Search - All 2 versions

[PDF] ▶ Hash Based Collision Resolution for Passive RFID Tags

W Yen - 2006 - 140.134.132.124

Abstract-RFID technology has recently attracted renewed interest due to the

major promotion from global retailers. In this paper, we consider the tag collision problem that prevents the reader from identifying the adjacent ...

Related articles - Web Search - All 5 versions

Estimation of Identifying Object Number in Passive RFID System

X Wang, GH Xie, Z Qi, L Ming - Digital Media and its Application in Museum & Heritages, ..., 2007 - ieeexplore.ieee.org

Abstract This paper investigates how to shorten identifying time of multiple objects and gain maximum throughput between reader and tags in passive RFID system. We present a combinatorial model of the communication mechanism ...

Related articles - Web Search - All 3 versions

Collision-Resilient Symbol Based Extension of Query Tree Protocol for Fast RFID Tag Identification

JM Seol, SW Kim - Lecture Notes In Computer Science, 2008 - Springer

T. Vazão, MM Freire, and I. Chong (Eds.): ICOIN 2007, LNCS 5200, pp. 513–522, 2008. © Springer-Verlag Berlin Heidelberg 2008 ... Collision-Resilient Symbol Based Extension of Query ... Tree Protocol for Fast RFID Tag Identification

Related articles - Web Search - All 2 versions

Performance Study of Anti-collision Algorithms for EPC-C1 Gen2 RFID Protocol *

JG Lee, SJ Hwang, SW Kim - Lecture Notes In Computer Science, 2008 - Springer

Abstract. Recently RFID systems have become a very attractive so- lution for a supply chain and distribution industry to trace a position or delivery status of goods. RFID has many advantages over barcode and vision recognition ...

Related articles - Web Search - All 2 versions

Using observations to recognize the behavior of interacting multi-agent systems - ▶ gatech.edu [PDF]

AM Feldman - 2008 - smartech.gatech.edu

Page 1. USING OBSERVATIONS TO RECOGNIZE THE BEHAVIOR OF INTERACTING MULTI-AGENT SYSTEMS A Dissertation Presented to The Academic Faculty by Adam Feldman In Partial Fulfillment Of the Requirements ...

Related articles - View as HTML - Web Search - All 4 versions

A Novel Anti-Collision Algorithm for EPC Gen2 RFID Systems

LC Wang, HC Liu - Wireless Communication Systems, 2006. ISWCS'06. 3rd ..., 2006 - ieeexplore.ieee.org

Abstract- The tag collisions result in lengthy inventory processes and incorrect identification problems in a RFID system. EPCglobal Generation-2 (Gen2) specification proposes a framed slotted ALOHA based anti-collision ...

Related articles - Web Search

A framework for fast RFID tag reading in static and mobile environments

V Sarangan, MR Devarapalli, S Radhakrishnan - Computer Networks, 2008 - Elsevier

A framework for reducing the average reading time of passive RFID tags in dense environments is introduced. The proposed framework termed Accelerated Frame Slotted ALOHA (AFSA) can be used in conjunction with almost all RFID tag ...

Related articles - Web Search - All 3 versions

[PDF] ▶ COMMUNICATION ALGORITHMS IN CONTACTLESS OBJECTS'IDENTIFICATION SYSTEMS OPERATING WITHOUT AND WITH ...

M GOTFRYD, B PAWŁOWICZ - pwt.et.put.poznan.pl

The RFID (Radio Frequency IDentification) systems for contactless objects' identification are treated as an alternative for bar codes, chip and magnetic cards because of their numerous advantages. The identification of moving ...

Related articles - View as HTML - Web Search

Efficient dual bias Q-Algorithm and optimum weights for EPC Class 1 Generation 2 Protocol

D Lee, O Bang, S Im, H Lee - Wireless Conference, 2008. EW 2008. 14th European, 2008 - ieeexplore.ieee.org

Abstract—Passive RFID tags, which have no self-battery and just backscatter
the energy from a reader, share a common channel. It causes a tag-to-tag
collision problem when at least two or more tags communicate to the reader ...
Related articles - Web Search

An RFID-based Psychiatric patient tracking system with reliability improvement - ncku.edu.tw [PDF]
MH Tsai - 2006 - etdncku.lib.ncku.edu.tw
Page 1. 國 立 成 功 大 學 電腦與通信工程研究所 碩 士 論 文
RFID應用於精神病患追蹤之可靠度研究 An RFID-based Psychiatric
patient tracking system with reliability improvement ...
Related articles - Web Search - All 3 versions

[PDF] ELECTRONIC DOCUMENTATION FORM
KM Ahmed, APTJ Erke, T Sanguankotchakorn - library.ait.ac.th
2. Title Performance Comparison of RFID Tag Anti-Collision Algorithm Using
Simulation and Real Testing Based on ISO 15693 ... 4. Name(s) of Advisor and
Committee Members Dr. Poompat Saengudomlert (Chairman) Dr. Paul Janecek ...
View as HTML - Web Search

Motion Vector Estimation based on RFID Localization and Video Sequence - ncku.edu.tw [PDF]
CL Huang - 2008 - etdncku.lib.ncku.edu.tw
Page 1. I 國 立 成 功 大 學 電 機 工 程 學 系 博 士 論 文
根植於 RFID 定位與視訊之移動向量偵測 Motion Vector Estimation
based on RFID Localization and Video Sequence ...
Related articles - Web Search

[PDF] A Novel Anti-Collision Protocol for Energy Efficient Identification and Monitoring in RFID-Enhanced ...
DK Klair, KW Chin, R Raad - Computer Communications and Networks, 2008. ICCCN'08. ..., 2008 -
kwchin.customer.netspace.net.au
Abstract— This paper presents a dynamic framed slotted Aloha (DFSA) protocol
that is energy efficient, and more importantly, is the first protocol capable of
monitoring tags. Our protocol uses three separate frames: 1) reservation, ...
Related articles - View as HTML - Web Search - All 3 versions

[PDF] Generic RFID Application Framework
MZ Khan - cse.iitk.ac.in
Page 1. Generic RFID Application Framework by Mohammad Zuber Khan DEPARTMENT OF
COMPUTER SCIENCE & ENGINEERING INDIAN INSTITUTE OF TECHNOLOGY, KANPUR June 2008
Page 2. Generic RFID Application Framework A Thesis Submitted ...
Related articles - View as HTML - Web Search

[PDF] Scrutinizing Behavior of a Dynamic Framed Slotted Anti-collision Algorithm for RFID Systems
X Huang - naun.org
Abstract— Radio frequency identification systems with passive tags
dramatically increase the ability of an organization to acquire a vast array of
data about the location and properties of any entity that can be physically ...
Related articles - View as HTML - Web Search - All 2 versions

RFID 태그 개수 추정 방법 및 질의 시간 최소화 방안
우경문 , 김종권 - 정보과학회논문지: 정보통신, 2006 - dbpia.co.kr
.본 논문은 서울시가 시행하고 서울시립대학교 "지능형
도시 사업단(스 마트-유비쿼터스- 시티 사업단"이
주관하는 "스마트시티를 위한 지능형 도시정보 ...
Related articles - Web Search - All 2 versions

网格环境下分层并行多群体协作PSO框架设计与实现

祁超, 张珊 - 计算机应用, 2008 - cqvip.com

第28卷第2期2008年2月计算机应用Computer Applications Vo1．28
No．2 Feb．20o8 文章编号：10OI－9081(20o8)02—0355—05
网格环境下分层并行多群体协作PSO框架设计与实现祁超．张景(1 ...

一种稳定高效的动态帧时隙ALOHA算法

程良伦, 林伟勇 - 计算机应用研究, 2009 - cqvip.com

首页; 期刊大全; 知识社区; 学者空间; 学术机构; 专题导读; 会议展览; 充值中心; 论文发表;
论文翻译．登录 注册 客服中心．维普资讯 中文期刊·专业文章．维普专业检索．...

ALOHA类RFID防碰撞算法OPNET建模与优化

舒琳, 李波, 刘震宇, 谢胜利 - 电子技术应用, 2007 - cqvip.com

首页; 期刊大全; 知识社区; 学者空间; 学术机构; 专题导读; 充值中心; 论文翻译．登录
注册 帮助．维普资讯 中文期刊·专业文章．维普专业检索Google学术．电子电信 ...

时隙ALOHA-CDMA无线通信网络节点数目估计

郭宏博, 赵玉萍 - 高技术通讯, 2008 - cqvip.com

首页; 期刊大全; 知识社区; 学者空间; 学术机构; 专题导读; 充值中心; 论文发表; 论文翻译．
登录 注册 客服中心．维普资讯 中文期刊·专业文章．维普专业检索．...

无源RFID系统中多目标识别的估计算法

W Xin-feng, XIE Gui-hai, M Liang, QI Zi-yuan, Y ... - 计算机应用, 2008 - computerapplications.com.cn

第2期 王新峰等:无源RFID系统中多目标识别的估计算法 337
二项式分布估计(BDE)算法 @标准为例，多个标签的good
、识别循环，算 @-@系统模型不失一般性，以IS0@8000-6A@ ...

Überlagerte Funksignale in drahtlosen Sensornetzwerken

A Krohn - 2007 - deposit.ddb.de

Die vorliegende Dissertation entstand im Rahmen meiner Tätigkeit als wissen-
schaftlicher Mitarbeiter am Institut für Telematik der Universität Karlsruhe
(TH). Ich trat dort im September 2002 in die Forschungsgruppe des ...

[PDF] ▶ UHF帯RFIDインベントリの高性能化

川喜田佑介 - sfc.wide.ad.jp

Page 1. 博士論文 平成 19 年度 (2007) UHF 帯 RFID インベントリの
高性能化 慶應義塾大学大学院政策・メディア研究科 川喜田佑介 Page
2. i 博士論文要旨 UHF 帯 RFID インベントリの高性能化 ...

基于MF RC500的RFID射频读写器设计

陶忠良, 卢修什, 王以忠, 李义高 - 自动化仪表, 2007 - cqvip.com

为适应无线射频识别技术的发展,对基于MF RC500的RFID射频读写器进行了研究,介绍了RFID
系统的基本原理及结构框架,并对MF RC500芯片做了简单的介绍和说明,然后给出了实际的电路
原理图,并根据关键寄存器的设置给出了使读写器对电子标签完成读写基本功能的流程图．...

改进的RFID动态帧时隙ALOHA算法

嵇文菁，赵梦欣，徐晶 - 华中科技大学学报.自然科学版, 2007 - cqvip.com
在对现有ALOHA算法分析的基础上提出一种改进的动态帧时隙ALOHA算法.算法根据实时估计的
读写器附近的标签数量动态调整帧长,使系统工作在最大吞吐量下,从而缩短标签读取时间.仿真
结果表明,该算法在标签数量大于500时,相比其他ALOHA算法在吞吐量上有近100%的提高 ...
Related articles - Web Search - All 3 versions

[PDF] ▷ 一种新的RFID标签识别防冲突算法

冯波，李锦涛，郑为民，张平，丁振华 - 自动化学报, 2008 - aas.net.cn
摘要 在RFID 网络通信中,
当多个标签同时回应阅读器的查询时,
如果没有相应的防冲突机制,会导致标签到阅读器的 ...
Related articles - View as HTML - Web Search - All 4 versions

[PDF] ▷ Überlagerte Funksignale in drahtlosen Sensornetzwerken

TU Braunschweig - teco.edu
Die vorliegende Dissertation entstand im Rahmen meiner Tätigkeit als wissen-
schaftlicher Mitarbeiter am Institut für Telematik der Universität Karlsruhe
(TH). Ich trat dort im September 2002 in die Forschungsgruppe des ...
Related articles - View as HTML - Web Search

ISO 18000—6 Type C中的防冲突机制分析

高广尚，蒋�premier，蒋奏 - 广西科学院学报, 2008 - cqvip.com
首页; 期刊大全; 知识社区; 学者空间; 学术机构; 专题导读; 会议展览; 充值中心; 论文发表;
论文翻译. 登录 注册 客服中心. 维普资讯 中文期刊·专业文章. 维普专业检索. ...
Related articles - Web Search

一种新的导数可靠度的RFID标签数目估计

郭宏博，赵玉萍 - 北京大学学报:自然科学版, 2008 - cqvip.com
首页; 期刊大全; 知识社区; 学者空间; 学术机构; 专题导读; 充值中心.
客服中心. 维普资讯 中文期刊·专业文章. 维普专业检索. 错误号：99
数据调用延迟，请刷新再试！ <<回到维普资讯首页>>
Related articles - Web Search - All 2 versions

射频识别系统中自适应反碰撞法的实现

耿淑琴，高大明，汪金辉，左磊，吴武臣 - 北京邮电大学学报, 2008 - cqvip.com
首页; 期刊大全; 知识社区; 学者空间; 学术机构; 专题导读; 会议展览; 充值中心; 论文发表;
论文翻译. 登录 注册 客服中心. 维普资讯 中文期刊·专业文章. 维普专业检索. ...
Related articles - Web Search

基于FPGA的防伪阅读器

李辉，侯义斌，黄樟钦，何福贵，陈锐 - 计算机工程, 2008 - cqvip.com
首页; 期刊大全; 知识社区; 学者空间; 学术机构; 专题导读; 会议展览; 充值中心; 论文发表;
论文翻译. 登录 注册 客服中心. 维普资讯 中文期刊·专业文章. 维普专业检索. ...
Related articles - Web Search - All 2 versions

RFID 시스템에서 하이브리드 태그 충돌 방지 알고리즘

신재동，여상수，김성권 - 한국통신학회논문지, 2007 - dbpia.co.kr
Page 1. 논문 07-32-4-06 한국통신학회논문지 '07-4 Vol. 32 No. 4 358 RFID 시스템에서
하이브리드 태그 충돌 방지 알고리즘 정회원 신 재동*, 여 상 수**, 김 성 권* ...
Related articles - Web Search - All 2 versions

ALOHA 방식 RFID 시스템에서의 태그 개수 추정 방법

이지봉, 김완진, 김형남 - 한국통신학회논문지, 2007 - dbpia.co.kr
Page 1. 논문 07-32-7-06 한국통신학회논문지 '07-7 Vol. 32 No. 7 448 ALOHA 방식 RFID
시스템에서의 태그 개수 추정 방법 준회원 이 지 봉*, 김 완 진*, 종신회원 김 형 남* ...
Related articles - Web Search - All 2 versions

基于NS的RFID系统仿真工具研究

张宏斌, 戎蒙恬, 邓晓东 - 计算机仿真, 2008 - cqvip.com
第25卷第2期计算机仿真2008年2月文章编号：1006—9348(2008)02—0127—
03 基于NS的RFID系统仿真工具研究张宏斌，戎蒙恬，邓晓东(
上海交通大学电子信息与电气工程学院电子工程系，上海 ...
Related articles - Web Search

基于随机选择的返回式动态树形反碰撞算法

智明, 刘威涛 - 计算机工程, 2008 - cqvip.com
首页; 期刊导航; 知识社区; 学者空间; 学术机构; 专题导读; 充值中心; 免费图书; 论文发表;
论文翻译. 登录 注册 客服资讯 中文期刊·专业文章. 维普专业检索. ...
Related articles - Web Search

一种新颖稳定的RFID反碰撞算法模型

余松森, 袁斌, 詹宜巨 - 计算机工程与应用. 2007 - cqvip.com
90 2007。43(1) Computer Engineering and Applications计算机工程与应用
一种新颖稳定的RFID反碰撞算法模型余松森一，袁斌，詹宜巨YU Song—sen1,2,
YUAN Bin1,ZHAN Yi-ju 1 . 南昌大学计算机系．南昌330029 2 ...
Related articles - Web Search - All 4 versions

Key authors: S Lee - C Lee - S Joo - D Shih - P Sun

[Search]

Google Home - About Google - About Google Scholar

©2009 Google